



Lefema Graphic Machinery BV  
Krommewetering 111  
3543 AN Utrecht  
The Netherlands

T +31 (0) 30 289 6755  
F +31 (0) 30 288 5526  
info@lefedema.com

www.lefedema.com  
Ch. nr 30072910

2026-04-12

## OFFSET PRESSES - 1 Colour

Ref	Brand	Type	Description	Year	Impr (min)
3387	Heidelberg	GTO 52-1	<u>Compac, Plus version</u>	1992	36
3363	Heidelberg	GTO-52	<u>Kompac dampening, plus version</u>	1996	44

## OFFSET PRESSES - 2 Colour

Ref	Brand	Type	Description	Year	Impr (min)
3386	Heidelberg	GTO 52-2	<u>Standard Machine, plus version</u>	1998	39
3268	Heidelberg	GTOZ-52+	<u>Plus version, Kompac dampening, Weko T6 powder device, Bacher 425.</u>	1994	42
3347	Heidelberg	MOZP-S	<u>Standard damping, Bacher register, Quick release clamps, Weko T-6, double sheet control</u>	1983	25
3345	Heidelberg	MOZP-S	<u>Alcolor, Baldwin cooling+roundpump, Bacher register, Quick release clamps Grafix powder spray</u>	1988	26
3266	Heidelberg	QM 46-2	<u>Standard machine</u>	2000	
3402	Heidelberg	SM 52-2-P+	<u>Plus version, mediprint, Autoplate, Alcolor, all washing devices., N+P unit</u>	1999	59
3308	Heidelberg	SM52-2	<u>Standard machine, Alcolor,+ version, MG Electric roundpump</u>	1999	65.5
3373	Heidelberg	SM52-2	<u>Plus Version, All washing devices, standard machine</u>	2000	62
3353	Heidelberg	SM52-2	<u>Standard machine, plus version</u>	1999	57.8
3390	Heidelberg	SM74-2P2+L UV	<u>Prinect-Prepress interface StaticStar Compact Double sheet control Perfecting unit Autoplate Alcolor damping Automatic ink and blanket device Coating unit Tresu chambered doctor blade system UV + airknifes Non-stop delivery Weko Powder Star AirStar Baldwin dampening unit Sauer rollers for UV ink and convetional ink</u>	2005	66
2992	Sakurai	258 EP-II	<u>Size: 580x450mm; Olivermatic dampening, pneumatic roller setting, remote control running register adjustment, Technotrans refrigeration and round pump, SAPC (semi automatic plate change), powder device, double sheet control, anti-static, sheet decurler, compressor, numbering/perforating unit. Separate magnet cylinder for perforating on machine.</u>	1995	64

Machines are subject to be unsold and prices are free loaded into container or truck.

## OFFSET PRESSES - 4 Colour

Ref	Brand	Type	Description	Year	Impr (mln)
3392	Heidelberg	XL75-4-L-C	<u>Alcolor Vario,Wall screen, Incline, All washing devices, Weko AP262, Antistatic, Double sheetcontrol,Autoplate, HD IR+Hi Preset</u>	2008	85
3391	Man Roland	R904 7B XXL	<u>RCI, Roland matic dampening, Technotrans cooling and recirculation unit, APL automatic plate changers, Blanket wash, Roller wash, Impression cylinder wash, Atlas Copco compressor, Pumps Size 120x162 cm</u>	2002	238

## Die-Cutting

Ref	Brand	Type	Description	Year
3374	IMG Klett	Cobra HP120-162	<u>Max die cut size 1180x1600 Max sheet size 1620x1180 Min sheet size 450x650 Suction feeder Stripping Centerline Pressure 400Tons Speed 4500 p/hour Material thickness 1-8mm Color display Standard flat pile delivery</u>	2007

## LETTERPRESS / DIE CUTTING

Ref	Brand	Type	Description	Year
3300	Heidelberg	GT-Platen	<u>Size:34x46cms</u>	
3393	Heidelberg	SBB		1968
3399	Heidelberg	SBB	<u>All safety guards</u>	1967
3384	Heidelberg	SBG	<u>Standard</u>	1962
2894	Heidelberg	T-Platen	<u>Size: 26x38cms.</u>	1965
3023	Heidelberg	T-Platen	<u>Size: 26x38cms.</u>	1964
3056	Heidelberg	T-Platen	<u>Size: 26x38cms.</u>	1961
3083	Heidelberg	T-Platen	<u>Size: 26x38cms. Revised.</u>	1970
3107	Heidelberg	T-Platen	<u>Size: 26x38cms.</u>	1967
3298	Heidelberg	T-Platen	<u>Size:26x38cms</u>	1974
3299	Heidelberg	T-Platen	<u>Size:26x38cms</u>	1977

Machines are subject to be unsold and prices are free loaded into container or truck.

3332	Heidelberg	T-platen	<u>size 26x38</u>
3333	Heidelberg	T-platen	<u>size 26 x 38 with hot foil</u>
3342	Heidelberg	T-platen	<u>size 26 x 38</u>

## PILE TURNER

Ref	Brand	Type	Description	Year
3182	Ascon	700	<u>Standard machine, carrying power 700kg.</u>	2001
3072	Busch	SE 90	<u>Max sheet size: 60x75cm, platform 90x62cm, carrying power 500kg.</u>	2009

## GUILLOTINES

Ref	Brand	Type	Description	Year
3366	Polar	137 EML Monitor Autotrim	<u>- Air table - side table with air and photo cells</u>	1989
3401	Polar	Polar 78ED	<u>Airtable, side tables without air</u>	1998
3367	Polar	RAB7	<u>Jogger with air roller</u>	1988
3172	Wohlenberg	92	<u>Airtable, Photo cells, 2 Side tables</u>	2001

## GUILLOTINES COMPONENTS

Ref	Brand	Type	Description	Year
3275	Polar	LW-450-1	<u>Paper lift</u>	2000

## BINDERY

Ref	Brand	Type	Description	Year
3284	Hohner	Favorit	<u>Standard one head stitcher.</u>	1986

## FOLDING MACHINES

Ref	Brand	Type	Description	Year
3319	MBO	K 760 E SKTL/4	<u>Pallet feeder, MBO MC control, 4 pockets with hoods, 1 knife and 1 knife left, (A76-DC delivery year 2015)</u>	2008
3151	MBO	K-800-2-4 S-KTL Navigator Aut.	<u>Pallet feeder, vaculift feeder head, vacubelt infeed, navigator control panel, 4 parallel plates with slit-score and perforating shafts, first knife at right angles to the plates, second knife at right angles to 1st knife, automatic folding plates, automatic roller settings, electronic pneumatic knives, batch counter, noise hood, air compressor.</u>	2005
3112	MBO	R-800-4-4-2 Navigator Aut.	<u>Round pile feeder, counter, 4 pockets 78/4, 4 pockets 68/4, 2 pockets 56/2 with noise hoods, delivery FA 68 ME.</u>	2004
3357	MBO	T-45-4X	<u>Flat pile feeder, console, 4 pockets with noise hoods, 1 knife, delivery.</u>	1987
3134	MBO	T-69/6-4	<u>Round pile feeder, counter + console, 6 pockets with hoods, 4 pockets with hoods, GUK BAS-SA-700, no. 50603, year: 2006, press delivery.</u>	1989

## FOLDING MACHINES COMPONENTS

Ref	Brand	Type	Description	Year
3320	MBO	SBAP 46 ME	<u>Delivery</u>	2008
2842	MBO	Z-2-FW	<u>Folding knife.</u>	1985

## GATHERING / COLLATING MACHINES

Ref	Brand	Type	Description	Year
3272	MKW	Rapid 30 UT 10-GS-AW-HV	<u>Computer control with monitor, hand feeding station, 10 station gathering machine, high pile feeder, stitch-fold-frontcut SFT-350.</u>	2000

## SADDLE STITCHERS

Ref	Brand	Type	Description	Year
-----	-------	------	-------------	------

3379	Muller Martini	1509	<u>3x1533 Twin Feeders (total 6 feeders) 1x1528Coverfeeder 1x1509 Stitching unit with two heads 1x 255 Shingle delivery With Optigraf Sinature recognition (same as Muller Martini ASIR)</u>	2000
3113	Muller Martini	Prima Amrys	<u>6 Feeders 370, nr. 315813, 1 cover feeder 1528, 1 stitcher 390, trimmer 361, Pratico stacker 7524.</u>	2000

## SADDLE STITCHERS COMPONENTS

Ref	Brand	Type	Description	Year
3221	Horizon	HOF-30	<u>High speed off-line feeder for digital printing; error avoidance, misfeed-, doublefeed- and jamming control. Compatible for Stitchliner 5000, SPF-20A/FC-20A and SPF-20A/FC-200A. Sheet size: 500 x 350mm/min. 275 x 200mm; paper weight max. 160g/sqm, min. 52g/sqm.</u>	2011
3279	Horizon	HOF-30	<u>Suitable for VAC-100, SPF-20 and SPF-200. Max. speed 27.000 sh/hr, paper range 52 to 130 grs standard paper, 73 to 160 grs coated paper.</u>	2006

## BOOK MAKING

Ref	Brand	Type	Description	Year
3397	C.P. Bourg	BB3002	<u>1-clamp perfectbinder Spine and side gluing hotmelt milling section with extruction milling depth adjustable</u>	2009
3361	Duplo	5000	<u>DBM 500T, serie nr 110900344 DBM 500, serie nr 110900285 DSF 5000, serie nr 110700351 DSF-CF, serie nr 110700351 DSC-10/20 stacker, serie nr 101000010 DBM-LS1, serie nr 111100277</u>	2011
3360	Duplo	System 5000	<u>1 DBM 500, Lift and fold unit, 412 kg - 1 DBM 500T, front cutter, 214 kg - 2 DSC-10, gathering towers, 250 kg - Equipment, 50 kg</u>	2006
3388	Horizon	SL5500	<u>Stitchliner 5500 with ACF-30/SPF-30S/HTS-30SST-40/SA-40/TB-30 und VAC-100a/m/c (3 times), PJ-77R</u>	2010

## WIRE-O

Ref	Brand	Type	Description	Year
3337	GBC	AP-2 A4	<u>Ultra automatic punch: output stacker maintains job collation without a turn-over device, edge guide adjustment, variable speed control and adjustable pick feeder, electronic adjustment for heavily curied stock, LCD display, ergonomic workflow.</u>	

## FOILING / LAMINATING MACHINES

Ref	Brand	Type	Description	Year
3394	Starfoil	Proline 780	<u>Automatic hot stamping and die-cutting machine with Mabeg feeder, sheet size: 780x540mm, automatic impression throw-off, servo motors to control foil pulling, 1" or 3" inner foil core diameter, paper range from 80grs-1.5mm, non-stop feeder system for efficient, long production runs, max. speed 5500/hr.</u>	2009

## PACKAGING

Ref	Brand	Type	Description	Year
3295	COM	compac	<u>Tafel model banderolleer machine</u>	
3296	COM	compac	<u>Tafel model banderolleer machine</u>	
3341	COM	Compac	<u>Tafel model bandoleer machine</u>	
3274	Cyklop	CI-75	<u>Size: 550x400 - 5mm</u>	2011
3322	Mosca		<u>Table modell banderolleer machine</u>	

## FINISHING

Ref	Brand	Type	Description	Year
3344	AJS	PSC25-1	<u>a) Automatic feeder with a brand new unused compressor b) Coater unit with doctor blade c) Single lamp UV drying system supplied with a brand new unused lamp d) Conveyor take off with brand new unused belt e) Chute angled delivery for the dried sheets AJS UV coater / Varnisher Maximum sheet size: 485 x 635mm Automatic suction feeder with new compressor UV coater head with doctor blade Single lamp UV system (New lamp unused) Teflon impregnated belt Chute delivery Fast clean facility Physical sizes: Length 3.9m Width 1.25m Height 1.4m</u>	2017
3289	Hang	150	<u>Riveting machine, 2 heads, head distance 30-450mm.</u>	
3288	Hang	150-05	<u>Riveting machine, rivet stroke: 55mm, cycle time: 0,5 sec., rivet pitch adjustment range 35-440mm</u>	1995
3290	Hang	150-3P	<u>Riveting machine, 2 heads, head distance 40-450mm, automatic rivet transport.</u>	

3375	Tünkers	HSL 1650	<u>max. size 1600 x 1650 mm, min. 400 x 400 mm, fully automatic laminating machine equipped with following parts: cover sheet feeder: vacuum suction feeder, maximum pile height 2 m, gluing- &amp; laminating station: max. material thickness 8 mm, max. machine speed 5.000 sheets per hour, carrier sheet feeder: belt feeder, press station, stacker delivery with non-stop-adjustment and fully automatic pallet changing system.</u>	2004
------	---------	----------	---	------

## MISCELLANEOUS

Ref	Brand	Type	Description	Year
3359	Hang	Hang 4 kop	<u>Hang 4 kop voormachine Standaard machine</u>	
2419	Heidelberg	Numbering unit	<u>For GTO-52</u>	
3358	Hunkeler	Stitcher B1	<u>Standaard machine</u>	
3334	Minipack	Mailbag		2007

## Label

Ref	Brand	Type	Description	Year
3340	Astro	ATS-12 Tabber	<u>Single head tabber. Speed 12,000/hour; tab size minimum 16 mm maximum 38mm; tab materials clear, translucent, or paper; media size (WxL) minimum 7,6cm x 13cm - maximum 43cm x 46 cm; maximum thickness 5mm; feeder top load, bottom feed for continious operation; tab sensor collaboration adjusts for density in tab/wafer seals; take up spool is standard; reel capacity 19cm.</u>	